


682-

# Concrete Schoolhouses



*Precast Concrete Stone Entrance  
Healdsburg, Calif.; High School  
William H. Weeks, Architect*

*Published by*

PORTLAND CEMENT ASSOCIATION



## Some School Building Fire Hazards

THE *American Exchange and Review*, Philadelphia, Pa., calls attention to the fact that fire losses on schoolhouses, which have been excessive for a number of years, are steadily increasing.

Some measure of the cause for this is partly explained by the fact that modern educational methods have introduced new hazards into schools. Manual training departments bring practically a factory hazard. Kitchens are provided for domestic science work and in some cases for the preparation of meals for pupils. Motion picture machines are in general use for educational and entertainment purposes. Chemical and physical laboratories introduce other hazards. In addition there is the increased use of school buildings for public meetings and entertainments of various kinds, involving the lighted cigar and cigarette hazards. While these conditions apply chiefly to schools in the larger centers, nevertheless many of the features mentioned are being introduced in the small-town and even in the township school.

Improved construction, better caretaking and more watchfulness are the principal remedies for reducing the excessive schoolhouse fire hazard. In general, the record of Ohio shows up better than that of any other state where the fire loss among schools has been carefully studied. This is attributed to the superior building laws of that state applying to schoolhouses, which were enacted after the burning of the Collingwood school in which nearly 150 children lost their lives. The Ohio law requires that all school buildings more than two stories high shall be of fireproof construction. In addition fire prevention regulations are strictly enforced by the State Fire Marshal through careful inspection of schoolhouse risks.

No community should defer safeguarding the lives of large numbers of children until the lesson of fire-safe construction is driven home by criminal sacrifice of human lives.



# Concrete Schoolhouses

Fire-safe, Attractive, Permanent

## Are Your Schools Fire-Safe?

"THERE are only two classes of buildings," says the Wisconsin Industrial Commission, "where attendance is involuntary—schools and jails."

If the house or apartment where you live is a fire-trap or is unsanitary, you can move.

School buildings are public property. The burden of responsibility for their proper construction is not with individuals who can be reached in a direct and positive way. The personnel of school boards changes, but the responsibility for expenditures for maintenance and even for calamities that are alto-



JOHN J. DONOVAN, Architect.

Durant School, Oakland, Calif.

*In this modern and attractive concrete school the pupils' security and comfort are safeguarded through the fire-resistive and permanent qualities of concrete.*

If you know a certain hotel or theater is not properly safeguarded against fire, you need not patronize it.

Factory owners are compelled by law to safeguard their workers. Periodical inspection is made to enforce all statutes directed toward prevention of fire and safety to life. Insurance underwriters even refuse insurance unless certain minimum standards of fire protection construction requirements and means of escape from fire in an emergency are provided.

gether too frequent should not be shifted to other shoulders.

The National Fire Protection Association, Boston, is responsible for the statement that "in the United States a fire occurs every day in some school." Anyone who carefully investigates the subject will realize that the American people have given less thought to safeguarding the young lives in schools from the perils of fire than has been given to factory buildings.

10 88-B 12805 TCE

## CONCRETE SCHOOLHOUSES



Jefferson School, Salt Lake City, Utah.

*Main building and power plant can safely be built as a single unit when the fire hazard has been eliminated through concrete construction.*



VAN RYN & DECHILLER, Architects.

Washington High School, Milwaukee, Wis.

*An abundance of daylight is afforded in the classrooms of this modern concrete high school building.*



## CONCRETE SCHOOLHOUSES



WILLIAM H. WEEKS, Architect.

High School, Healdsburg, Calif.

*This monolithic concrete building expresses strength, beauty and dignity. The entrance way, of which a detailed view is shown on the cover of this booklet, is executed in precast concrete units.*

### Most Schools Are Fire-Traps

ANYWHERE one can find schools built with no thought of fire protection through the use of fireproof materials. Generally the only evidence of protection against fire is in the provision of some means of escape, which may or may not prove sufficient or usable when the panic caused by immediate danger from fire makes the children practically helpless. Any means of escape provided is usually

on the assumption that sooner or later some such means will be needed, yet evidence is lacking that the provision will be sufficient or usable when the urgent need does arise.

The best means of escape should always be provided, but all such means in themselves fall far short of solving the problem of maximum fire-safety. This can only be secured by building the school so that it cannot burn, in which case fire that may break out in any part can never reach dangerous proportions.



CLYDE P. DODSON, Architect.

Culver City Grammar School, Culver City, Calif.

Pacific Concrete Co., Builder.

*The community in which this school building of structural concrete is located, gained through its erection a permanent addition to its wealth without any fire hazard.*



## CONCRETE SCHOOLHOUSES



KELLY & WILLIAMS, Architects.

LOUNSBERRY & MCLEOD, Builders

**Morgan Park Public School, Duluth, Minn.**

*The strong lines of its design emphasize the permanent character of this school building of structural concrete frame with exterior and interior walls of concrete brick.*



**Public School Building, Mineville, N. Y.**

*Small cities and towns also find concrete construction a satisfactory type for their school buildings.*



## CONCRETE SCHOOLHOUSES



JOHN J. DONOVAN, Architect.

### Lockwood School, Oakland, Calif.

*This one-story concrete school building is built around four sides of a rectangle and provides an outside exit for every room. A playground for small children is provided in the enclosure formed by the building.*



JOHN J. DONOVAN, Architect.

### Emerson School, Oakland, Calif.

*Modern ideas of permanence and fire safety are embodied in this one-story concrete school building.*



## Schools Can be Built Fire-Safe

CONCRETE is recognized as the highest type of fire-safe construction. It is the last word in fire protection. In a properly planned school building in which concrete has been consistently used throughout, fires of danger-

allow its chosen official representatives to provide less than the maximum of fire-safety for school children. Every community should insist that its school buildings, whether public or semi-public, be examples of the highest type of fire-safe construction.



Lynch, Smith & Foxworth, Architects.

High School, Oklahoma City, Okla.

Lawrence & O'Connor, Architects.

*The investment of public funds in a large school building is best safeguarded by a consistent use of concrete.*

ous proportions are practically impossible. Numerous cases are on record of fires threatening serious consequences, that were confined to their place of origin by concrete floors and walls. Many times concrete buildings have acted as fire barriers in stopping the progress of conflagrations. No community should

## Concrete Means Ultimate Economy Also

NOT only does concrete assure maximum fire-safety, but greatest economy. Under no circumstances should first cost be considered the true cost of a school building. The true cost is the ultimate cost to the community over a period of years. Ultimate cost includes



## CONCRETE SCHOOLHOUSES

1. First cost
2. Maintenance
3. Insurance
4. Interest on first cost
5. Depreciation of the building as a whole.

Since schools have burned in the past, they will burn in the future, so there is a fire hazard. If the building burns it may be a total loss to the community. The cost of insurance must not be omitted from any consideration devoted



W. J. JENNINGS, Architect.

Public School at South Madison, Wis.

Oakey Bros., Builders.

*Concrete block as a construction material for school buildings has proved to be an economical investment in this attractive structure erected in 1909.*

Annual taxes are levied to meet appropriations for interest and maintenance charges. Practice with respect to carrying insurance on school buildings varies, but in many cases is allowed to take care of itself—a procedure not countenanced by business organizations.

to determining ultimate cost. In a building in which concrete has been consistently used throughout, neglect to carry fire insurance is not serious, since the highest measure of fire protection is built in with the concrete. But because of concrete construction, the saving



in insurance must be credited to the concrete structure when comparing its cost with that of some other type of school building of combustible material.

Depreciation of vital structural parts that cannot readily be reached for repair or maintenance proceeds unless such parts are of a non-depreciating material. With concrete

### A Comparison Between Permanent and Non-Permanent Construction

IT is a simple matter to fix clearly in mind the difference in ultimate cost of a permanent, non-depreciating, and self-insuring because fireproof building, and a depreciable, burnable one. At the end of a certain period of time, the depreciable or cheaper type will be torn



FAVRIOT & LINAUDAIN, Architects

REINHART & DONOVAN, Engineers & Contractors

Central School Building, Lake Charles, La.

*Structural concrete frame construction on concrete foundation provides a rigid school building free from deterioration of its essential parts*

construction, depreciation as well as insurance will be negligible, so it can be seen that first cost does not form a basis for comparison of the true cost of types of school buildings. Any school board that gives sole consideration to first cost and disregards the other factors is simply placing the burden of responsibility upon its successors.

down and replaced by a new building of the same type, probably costing more than the first one. It is evident that a permanent building, costing only 10 or 15 per cent more than a depreciable type, is in reality cheaper than two buildings of the last type. Such a building actually grows stronger with age and will last indefinitely.



## CONCRETE SCHOOLHOUSES

### Grammar School, Lawrence School District, Okla.

*Rural districts find in concrete construction an economical and fire-safe type for school buildings. The walls of this building have pressed steel studs supporting re-inforced concrete slabs. Roof is of concrete slab, plastered on metal lath.*



LEONARD H. BAILY, Architect.

REINHART & DONOVAN, Engineers & Contractors.

While actual first cost is dependent on local conditions of labor and material supply, it is evident to all that some kinds of material commonly used in school buildings are becoming more difficult to obtain. On the other hand the supply of materials for concrete construction is practically inexhaustible and there is no natural limit on its production.

Also a permanent concrete school building can be constructed in many localities for a first cost actually less than other types that may be compared with it.

Maintenance of any structure includes painting, repairing, replacing broken or worn-out parts or members and in general all labor and materials used to keep the building as



*Concrete inclines or ramps from floor to floor are used in place of stairs in Healdsburg and Watsonville, Calif. high schools. The floors are of concrete covered with cork carpet. These ramps promote safety of movement within the building.*



# The Architectural Adaptability of Concrete to School Building



WILLIAM H. WEEKS, Architect.

High School, Watsonville, Calif.

*This group of attractive high school buildings illustrates some of the satisfying possibilities of concrete in accepted styles of school architecture in the various parts of the country.*

*Concrete has proved adaptable to and capable of successfully meeting the requirements of a wide range of varied designs peculiar to different sections of the country.*

*An unusual style of architecture for school buildings has been developed in California, some of which are shown in this book. Details of the entrance and assembly room windows of the Watsonville High School are shown on pages 14 and 15.*




Technical High School, Oakland,

Fort Worth High School, Fort Worth, Texas.





# Buildings is Shown by this Group of Distinctive Designs



High School Building, Seabreeze, Daytona Beach, Fla.

MARK & SHEFTALL, Architects.



School, Oakland, Calif.

*The beauty and strength of the Greek order of architecture is reproduced, with the aid of concrete, in the Technical High School of Oakland, California. The high school buildings of Fort Worth, Texas, and Seabreeze, Daytona Beach, Florida, are examples of the substantial effect obtained by using noncombustible units in combination with monolithic and structural concrete.*

*Structural concrete frame and concrete brick buildings embody all the requisites of fire-safe construction, and provide for a maximum of daylight and fresh air, as is evidenced by the East Side High School, Salt Lake City, Utah.*

East Side High School, Salt Lake City, Utah.

ELDRIDGE & CHESBRO, Architects.







Watsonville, Calif.  
High School.

*Detail of entrance and end  
pavilion. All ornamentation  
is of precast concrete in  
delicate tints.*

nearly as possible in its original condition. It naturally follows that a type of construction which depreciates rapidly, requires heavy and increasing maintenance expenditures. These expenditures consume annually a considerable part of the school fund, and regardless of how carefully and systematically maintenance may be performed, it cannot prevent gradual depreciation of the building as a whole.

Structural parts that vitally affect the strength of a building are not accessible for maintenance and the life of structural members determines the useful life of the building. Repairs necessitated by fires that affect structural parts and hence the integrity of the structure, are expensive. However well they may be made, they do not always entirely remove the

weakening effects of a fire. Concrete will stand very high temperatures without injury. From the very nature of the limited quantity of combustible contents in school buildings, a fire in a concrete school rarely or never could reach sufficient proportions to affect the strength of structural parts.

Maintenance on a non-fireproofed, depreciable building can do no more than postpone the evil day when the structure will be branded unsafe and will have to be replaced. On the other hand, as concrete grows stronger with age and requires no repairs, painting or similar maintenance; only interior decorations, trim and such portions as may be of depreciable material need to be maintained.

One of the most important requirements of



modern school buildings is that they be clean, well lighted, well ventilated, and therefore provide sanitary, healthful quarters for school children. Concrete buildings are clean and easy to keep clean, which suggests healthful quarters as well as low cost of janitor service. Saving through low maintenance expense made possible by the use of concrete, leaves more money available for extending the school system and likewise results in holding down the school taxes. Concrete buildings represent an addition to the permanent wealth of a community.

### Design and Construction

COMMUNITY pride should insist upon public structures that at least are attract-

ive. They should also be as dignified as public funds and popular taste will permit. Any community should be able to refer with pride to its school system and the merits of that system should so far as possible be evidenced in its school buildings.

Many special features that contribute to the healthfulness, safety, convenience and comfort of modern school buildings are incorporated in the design of modern structures of concrete. Among these may be mentioned ramps instead of stairs, swimming pools, tennis courts, drinking fountains and playground walls and fences. An illustration on page 11 shows a concrete ramp or incline in a public school at Watsonville, Calif. The slope is 2


Watsonville, Calif. High School.

*Detail of assembly room windows, showing the semi-oriental style of architecture adopted for this high school building.*






# CONCRETE SCHOOLHOUSES



Floor Plans of Healdsburg, Calif., High School.

First floor plan above, second floor plan below. This building like the one at Watsonville is of fireproof construction throughout. All stairways between floors have been replaced by concrete ramps, or inclines, which facilitate movement of pupils through the building.





## CONCRETE SCHOOLHOUSES

inches per foot and the ramp is 6 feet wide, including the concrete balustrade. Ramps of this kind instead of stairs have been used extensively by William H. Weeks, architect, in a number of schools he has designed in California. Both materials and labor necessary to its construction are cheaper than for stairways.

booklet are proof of this statement. Graceful, monumental and unassuming school buildings are illustrated which architecturally could not be improved upon, if equalled, by any other structural material. It should also be borne in mind that the cost of most, if not all of these structures, was less than that of any other



Assembly Hall of High School, Santa Cruz, Calif.

*In this hall, freedom from rods and posts is the noticeable feature. The balcony is carried by reinforced concrete cantilever construction.*

Concrete has many times proved its adaptability in architecture. There is probably no architectural treatment accepted as in good taste for school buildings, which cannot be worked out most satisfactorily in concrete construction. Many of the illustrations in this

type of so-called fireproof construction.

In reinforced concrete design there is a choice between beam and girder and various systems of flat slab construction. The latter requires slightly less material than the former and in general actual construction is simpler.



## CONCRETE SCHOOLHOUSES



H. P. ALAN MONTGOMERY, Architect.

AMERICAN CONCRETE STEEL CO., Contractors.

Lincoln Public School, Summit, N. J.

*Simple and attractive architectural effect is readily obtained with concrete surface finish.*



GARBER & WOODWARD, Architects.

FERRO CONCRETE CONSTRUCTION CO., Engineers & Contractors

Lafayette Bloom School, Cincinnati, Ohio.

*Structural concrete frame in the course of construction.*



## CONCRETE SCHOOLHOUSES




F. W. REDLICK, Architect.

REINHART & DONOVAN, Engineers & Contractors.

### Armory Gymnasium Building, Stillwater, Okla.

*Structural concrete frame. Running track is carried on reinforced concrete cantilever construction.*



FLETCHER & LEE, Architects.

FERRO-CONCRETE CONSTRUCTION CO., Engineers & Contractors.

### Fourteenth District School, Cincinnati, Ohio.

*Four-story structural concrete frame, 25 foot spans. Swimming pool of reinforced concrete is provided on the first floor and a playground on the roof.*





Public School Building,  
Stuart, Fla.

*Concrete block construction  
is economical and uses local  
materials.*

Methods of designing after the various systems are fully given in standard text books on reinforced concrete design. Many architects and engineers now recognize the peculiar advantages of concrete, and specialize in concrete design and construction. Some specialize largely in school buildings.

In addition to having correct architectural and structural design, school buildings should be light, sanitary, warm and dry. All these requirements can readily be fulfilled by concrete construction. Concrete permits daylight lighting. Floor loads are transmitted directly or indirectly to columns, and bearing walls

Modern Concrete  
School Building at  
Mooseheart, Ill.

*The recognized fireproof  
qualities of monolithic con-  
crete floors and concrete  
block walls of this building  
are reflected by its low  
insurance rates*





Roselyn Farm School,  
Carnegie, Pa.

*Small fire-resistive concrete schoolhouses  
are ultimately most economical.*



need not be used. Entire space between columns and floors may therefore be flooded with daylight.

Finished concrete floors and walls present an unbroken, hard, durable, impervious, hence sanitary surface. There are no cracks or crevices for the collection and lodgment of filth. Objections to uncovered concrete floors because of their hard, unyielding surface, are largely unfounded. However, if it is desired to use another type of floor surface, various kinds of linoleum or other floor coverings are

available. A wooden floor may be put over concrete by embedding nailing strips in the floor slab when concrete is placed, but reduces the factors of fire-safety and sanitation.

The modern types of concrete block are especially suitable for exterior walls of even the most pretentious school building. Their uniform size and comparatively large dimensions make for ease and speed of laying up the wall and keeping it plumb and level. The hollow space usually molded in the common types of block assists in securing good insulat-



Public School Building,  
Sabeka, Minn.

*Concrete and concrete block construction  
meets all climatic conditions.*





SNOWDEN ASHFORD, Municipal Architect.

HAMMETT FIREPROOFING CO., Contractors.

**Reinforced Concrete Stadium  
of the New Central High  
School, Washington,  
D. C.**

*This stadium seats 6,000 persons  
and is fire and accident proof in  
every respect.*

ing qualities, but in cold climates all masonry walls should be furred, lathed and plastered on the interior.

A number of economical methods have been developed for constructing double walls of monolithic concrete. Very thorough insula-

tion of walls is accomplished through the introduction of such a dead air space within the wall. Care must be taken that no air passages exist around door and window frames, thus permitting free circulation of air in the space in the wall. The dead

**Manual Training Depart-  
ment, Morgan Park School,  
Duluth, Minn.**

*Concrete construction, including  
concrete brick, removes the  
fire hazard due to combustible  
materials or electrical equipment  
used for instruction in manual  
training and domestic arts.*





air space prevents the interior face of the wall from becoming cold during extreme low temperature and likewise checks radiation of heat from the building through the wall.

Concrete buildings have peculiar advantages from the standpoint of actual construction. Most of the materials required are of local origin and with the modern methods now applied, the speed and ease with which concrete buildings may be erected are remarkable. Usually funds for school buildings are not appropriated until the need for the building has been definitely demonstrated and probably

become urgent. Therefore once a new school is decided upon, there is insistent demand for its early completion. If concrete is specified, the work can be under way as soon as preliminary or foundation plans have been completed.

Because most of the materials and a great deal of the labor required in concrete construction can be obtained locally, the community using concrete for its public buildings is largely paying its own money back to itself. In other words, the greater portion of the money remains at home.

### Remember

SOME of the vital features that a school building must possess are protection against fire, storm and earthquake.

It must be easy to keep clean, light, healthful and comfortable.

It should be of a type of construction that will protect the taxpayer's investment from loss by the elements.

It should not be subject to depreciation nor require heavy maintenance expenditures.

It should add to the permanent wealth of the community.

Architecturally it should promote community pride.

It should be low in ultimate cost.

All of these requirements are fulfilled with concrete construction.



A National Organization

# To Improve and Extend the Uses of Cement and Concrete

Offers You Its Services

We know and can tell you how to use concrete so that best results will be obtained.

Our various District Offices listed below are service organizations. Get their help in your concrete problems. In addition you are invited to correspond with our headquarters, 111 West Washington Street, Chicago, where our

HIGHWAYS BUREAU will be glad to consult with and advise you on all matters relating to the improvement of roads, streets and alleys through the medium of concrete. Our

STRUCTURAL BUREAU will give you help and cooperation on individual problems involving the use of concrete for railroad work, bridges and culverts, buildings, dams, power houses and other structures. Our

CEMENT PRODUCTS BUREAU can advise on the suitability and availability of all structural concrete products, as well as concrete sewer and culvert pipe, drain tile, telegraph and telephone poles, lighting standards, etc.

These departments are constantly in touch with the extensive researches being made by the Structural Materials Research Laboratory, operated jointly with the Lewis Institute, Chicago. Their recommendations are based on the most advanced information obtainable.

Educational booklets and pamphlets fully illustrating and describing the important uses of concrete await your request. We are at your service. Consult us freely. Your satisfaction is our reward.

## PORTLAND CEMENT ASSOCIATION

### OFFICES AT

Atlanta  
Chicago  
Dallas  
Denver  
Des Moines

Detroit  
Helena  
Indianapolis  
Kansas City

Los Angeles  
Milwaukee  
Minneapolis  
New York

Parkersburg  
Pittsburgh  
Portland, Oreg.  
Salt Lake City

San Francisco  
Seattle  
St. Louis  
Vancouver, B. C.  
Washington